



cork



WICANDERS®

Nature at your feet

Amorim Revestimentos

Rua do Ribeirinho 202

P. O. Box 13

4536-907 S. Paio de Oleiros


PORTUGAL

p_ (+351) 227 475 600

e_ wicanders.ar@amorim.com

www.wicanders.com

Enabling wellbeing in every room





Nature at your feet

Wicanders has a legacy that goes back to 1868 and is the global leading brand in flooring products with cork technology. Present in more than 70 countries, its promise is to provide Floors for Living, ready for real life, for our home and office, for our different rhythms, for our family and pets, for all those wonderful and simple, yet sometimes unexpected moments. Floors for our lives.

Over the years, Wicanders has developed sustainable floor and wall coverings with exclusive properties due to its innovative Corktech technology. By combining state of the art technology with the exclusive natural properties of cork, a higher standard in flooring is achieved. Available with cork, wood and stone looks, its products are able to provide a silent and thermally insulated environment, that endures impacts and is very comfortable to walk and stand on.

Wicanders means wellbeing, a choice for life!







FROM NATURE, TO YOUR SPECIAL SPACE.

Technology only makes sense if it improves people's lives. This concept finds expression in products developed with Corktech technology.

By using a unique engineered multilayer structure, which combines state of the art technology with the exclusive natural properties of cork, a higher standard in flooring is achieved, providing the perfect match between design and wellbeing.

Wicanders uniqueness is daily achieved by continuously research on how end customers think and live their spaces. Wicanders brings to the market products that provide a silent and thermally insulated environment, that endures through time and are sustainable at the same time.



Silence



**Natural
Thermal Insulation**



**Walking
Comfort**



**Impact
Resistance**

cork

Pure

Formats

450 x 450 x 6mm
17 11/16 x 17 11/16 x 1/4"

600 x 150 x 4mm
23 5/8 x 5 7/8 x 3/16"

600 x 300 x 4mm
23 5/8 x 11 13/16 x 3/16"

600 x 300 x 6mm
23 5/8 x 11 13/16 x 1/4"

600 x 450 x 4mm
23 5/8 x 17 11/16 x 3/16"


900 x 150 x 4mm
35 7/16 x 5 7/8 x 3/16"

900 x 300 x 4mm
35 7/16 x 11 13/16 x 3/16"





Glue Down

RANGE	Go		
	Essence	 	
	Resist*	 	
	Pure	  	

 Heavy Traffic Residential areas

 Moderate Traffic Commercial areas

 Heavy Traffic Commercial areas

 Budget products

 Glue down


WICANDERS®



Personality Eden

cork



Slate Arctic

C91D002

600 x 450 x 4mm



Slate Arctic

Class

Design, wellbeing and durability.

If you prefer the glue down solution in your projects, you can equally choose the looks available in the Essence / Resist + range.

Take advantage of the rich and broad range of natural and painted looks and create wellbeing in every room enjoying the exclusive qualities of cork – superior comfort and minimal step sound.

Organic stone visuals in soothing light colours as Slate Arctic grant spaces steeped in serenity. Your eyes perceive a stone tile and your feet feel the thermal balance and pleasant touch of cork.



Slate Moccaccino
C91C002

600 x 450 x 4mm



Slate Caffè
C91A002

600 x 450 x 4mm





Flock Tea

C93Z001

600 x 300 x 4mm



Flock Chestnut

C94A001

600 x 300 x 4mm



Flock Moonlight

C91X001

600 x 300 x 4mm





Flock Tea



President Chestnut

C94L001

900 x 300 x 4mm



President Chestnut



President Spice

C94K001

900 x 300 x 4mm



President Chocolate

C94I001

900 x 300 x 4mm

cork



Identity Timide

I902002 600 x 300 x 6mm

C92M001 600 x 450 x 4mm



Identity Moonlight

I901002 600 x 300 x 6mm

C92N001 600 x 450 x 4mm



Identity Chestnut



Identity Champagne

I905002 600 x 300 x 6mm
C92O001 600 x 450 x 4mm



Identity Eden

I906002
600 x 300 x 6mm



Identity Silver

I903002
600 x 300 x 6mm



Identity Tea

I910002 600 x 300 x 6mm
C92R001 600 x 450 x 4mm



Identity Chestnut

I932002 600 x 300 x 6mm
C93G001 600 x 450 x 4mm



Identity Nightshade

I921002 600 x 300 x 6mm
C92L001 600 x 450 x 4mm






Originals Natural

RV10003

600 x 300 x 4mm



Originals Traditional

EN01005 600 x 300 x 6mm

RN01008 600 x 300 x 4mm



Originals Rhapsody

DN12003

600 x 300 x 6mm



Originals Country

DN02006

600 x 300 x 6mm



Originals Shell

DN10001 600 x 300 x 6mm

RN14002 600 x 300 x 4mm

RV14004 600 x 300 x 4mm



Originals Dawn

DN13001 600 x 300 x 6mm

RN13001 600 x 300 x 4mm

RV13006 600 x 300 x 4mm



Originals Character

DN22001 600 x 300 x 6mm

RN16001 600 x 300 x 4mm

RV16004 600 x 300 x 4mm



Originals Harmony

DN11003 600 x 300 x 6mm

DN11004 600 x 300 x 6mm

RN11002 600 x 300 x 4mm

RV11007 600 x 300 x 4mm



Originals Symphony

DN20001 600 x 300 x 6mm

RN20001 600 x 300 x 4mm



Originals Accent

RN17001

600 x 300 x 4mm

Originals Character



Personality Champagne

P905003


600 x 300 x 6mm



Personality Moonlight

P901003

600 x 300 x 6mm



Personality Tea



Personality Timide
P902003
600 x 300 x 6mm



Personality Eden
P906003
600 x 300 x 6mm



Personality Tea
P910003
600 x 300 x 6mm



Personality Spice
C95U002
600 x 300 x 4mm



Personality Chestnut
C94X004
600 x 300 x 4mm



Fashionable Grafite

C95M001

900 x 300 x 4mm

Contemporary Innovation to use and live your space

If you're looking for out of the mainstream flooring looks, that will astonish all your visitors, here's a set of 32 curated solutions.

For residential or commercial use, you can pick expressive and refreshing reinvented cork patterns that will assure a Contemporary statement to your space. The hard task will be to choose one!

In your living room project, you can perfectly balance the power of these flooring looks with light and day-to-day objects or toys and the result will still be impressive.




Fashionable Grafite



Fashionable Glacier

C95J001

900 x 300 x 4mm



Fashionable Cement

C95L001

900 x 300 x 4mm



Fashionable Macchiato

C95N001

900 x 300 x 4mm



Fashionable Mystic

C95K001

900 x 300 x 4mm



Lane Chestnut

Contemporary



Lane Timide

C93R001

900 x 300 x 4mm



Lane Chestnut

C93S001

900 x 300 x 4mm



Linn Blush
C91O003
600 x 450 x 4mm




Linn Moon
C91N003
600 x 450 x 4mm



Linn Moon



Linn Cioccolato
C91L003
600 x 450 x 4mm



Skin Timide

C95C001

450 x 450 x 6mm



Skin Natural

C95V001

450 x 450 x 6mm



Skin Dark

C95B001

450 x 450 x 6mm





Reed Meridian
C93T001

900 x 300 x 4mm



Reed Barley
C93U001

900 x 300 x 4mm



cork




Traces Tea

C94M001

600 x 150 x 4mm




Traces Tea



Traces Moonlight

C95P001 600 x 150 x 4mm

C95P002 900 x 150 x 4mm



Traces Champagne

C95O001 600 x 150 x 4mm

C95O002 900 x 150 x 4mm



Traces Spice

C94N001

600 x 150 x 4mm



Traces Chestnut

C95R001 600 x 150 x 4mm

C95R002 900 x 150 x 4mm



Contemporary

Meet the Novel 3

Novel Brick, Twist, and Edge, signed collection by the renowned industrial designer Antonio Bullo, are also available in the Essence/ Resist* range!



Novel Brick Flax
C96T001


900 x 300 x 4mm



Novel Brick Drill
C96S001

900 x 300 x 4mm





Novel Brick Natural
C9G1001

900 x 300 x 4mm



Novel Brick Taffeta
C96R001

900 x 300 x 4mm

Novel Brick Natural



Novel Twist Natural

C9G0001

900 x 300 x 4mm



Novel Twist Velvet

C96Q001

900 x 300 x 4mm



Novel Twist Drill

C96P001

900 x 300 x 4mm



Novel Twist Taffeta

C96O001

900 x 300 x 4mm



Novel Edge Natural

C9G2001

900 x 300 x 4mm



Novel Edge Lace

C96W001

900 x 300 x 4mm



Novel Edge Drill

C96V001

900 x 300 x 4mm



Novel Edge Burlap

C96U001

900 x 300 x 4mm

Technical solution

PROTECTIVE SURFACE

GENUINE CORK VENEER

AGGLOMERATED CORK 3,2MM / 5,2MM



Finishing & Warranty



For domestic areas that need a natural look and a soft touch, PU is the right solution.



For those seeking for a customized solution, the Sanded option is what you are looking for. The surface is prepared to be finished on site, so you can select the finish that best suits your needs.








Xtreme WRT surface finish (Wear Resistance Technology) is the right choice to fit the most demanding needs of domestic areas. This environmental friendly varnish is based on a ceramic compound which ensures exceptional strength and longevity.



*Must be varnished on-site with minimum 3 coats of W-2000 or another recommended varnish.

**Must be varnished on-site with minimum 3-4 coats of W-2000 or another recommended varnish for this level of use (see recommendation table in the packaging).

Technical Data Sheet

Glue down					
			WRT 600 x 300 x 4mm 23 5/8 x 11 13/16 x 3/16"	PU 450 x 450 x 6mm 17 11/16 x 17 11/16 x 1/4" 600 x 150 x 4mm 23 5/8 x 5 7/8 x 3/16" 600 x 300 x 4mm 23 5/8 x 11 13/16 x 3/16" 600 x 300 x 6mm 23 5/8 x 11 13/16 x 1/4" 600 x 450 x 4mm 23 5/8 x 17 11/16 x 3/16" 900 x 150 x 4mm 35 7/16 x 5 7/8 x 3/16" 900 x 300 x 4mm 35 7/16 x 11 13/16 x 3/16"	Sanded 600 x 300 x 4mm 23 5/8 x 11 13/16 x 3/16" 600 x 300 x 6mm 23 5/8 x 11 13/16 x 1/4"
Level of use Domestic	ISO 10874	Class			
Level of use Commercial	ISO 10874	Class		-	
Finish Description	-	-	UV-cured Acrylic varnish with ceramic beads	Water based PU varnish	Sanded surface
	Standard-Test Method	Unit	Specification		

General Properties - EN 14085 + EN 12104 + EN 655

Dimensions:	EN ISO 24346	mm	≤ 0,2% up to max. 1,0	≤ 0,2% up to max. 1,0	≤ 0,2% up to max. 1,0
Overall thickness	EN ISO 24346	mm	0; + 0,25	0; + 0,25	0; + 0,25
Squareness	EN ISO 24346	mm	-	-	≤ 0,5
Straightness measured at the surface layer	EN ISO 24346	mm	-	-	≤ 1,0
Squareness and Straightness: ≤ 400mm > 400mm	EN ISO 24346	mm	≤ 0,5 ≤ 1,0	≤ 0,5 ≤ 1,0	≤ 0,5 ≤ 1,0
Dimensional stability after exposure to heat	EN ISO 23999	%	≤ 0,4	≤ 0,4	-
Curling after exposure to heat	EN ISO 23999	mm	≤ 6	≤ 6	-
Moisture content	EN 12105	%	3.5-4.5	-	3.5-4.5
Mass per unit area	ISO 23997	g/m²	Nominal Value (2000) ± 10%	4mm: nominal value 1800+ - 10% 6mm: nominal value 2700 + - 10%	-
Apparent density	EN 672	Kg/m³	≥ 95% of Nominal Value (450)	≥ 95% of nominal value (450)	≥ 95% of nominal value (450)

Classification Properties - EN 14085 + EN 12104 + EN 655

Overall thickness	EN ISO 24346	mm	≥ 4,0	≥ 4,0	-
Apparent density	EN 672	Kg/m³	≥ 450	≥ 450	-
Castor chair	EN 425	Visual effect after 25 000 cycles	-	No disturbance to the surface other than slight change in appearance and no delamination shall occur	-

Glue down					
			WRT 600 x 300 x 4mm 23 5/8 x 11 13/16 x 3/16"	PU 450 x 450 x 6mm 17 11/16 x 17 11/16 x 1/4" 600 x 150 x 4mm 23 5/8 x 5 7/8 x 3/16" 600 x 300 x 4mm 23 5/8 x 11 13/16 x 3/16" 600 x 300 x 6mm 23 5/8 x 11 13/16 x 1/4" 600 x 450 x 4mm 23 5/8 x 17 11/16 x 3/16" 900 x 150 x 4mm 35 7/16 x 5 7/8 x 3/16" 900 x 300 x 4mm 35 7/16 x 11 13/16 x 3/16"	Sanded 600 x 300 x 4mm 23 5/8 x 11 13/16 x 3/16" 600 x 300 x 6mm 23 5/8 x 11 13/16 x 1/4"
Simulated movement of a furniture leg	EN 424	Visual effect	-	No damage shall be visible after testing with a type 2 foot	-
Residual indentation	EN ISO 24343-1	mm	≤ 0,40	≤ 0,40	≤ 0,40

Safety properties - EN 14041

Fire resistance	EN 13501-1	Class	D fl-s1	4mm: C fl-s1 / 6mm: D fl-s1	C fl-s1
Slip classification	EN 13893	Class	DS	DS	-
Formaldehyde emission	EN 717-1	Class	E1	E1	E1
Electrical behaviour	EN 1815	KV	Not Antistatic	Not antistatic	Not antistatic
Content pentachlorophenol (PCP)	EN 14041 (Annex B)	mg/Kg	PCP Free	PCP Free	PCP Free

Optional properties

Stains resistance	ISO 26987(b)	Grade (c)	Grade 0	Grade 0 (ammonia grade 3; Iodine grade 2)	-
Thermal resistance	EN 12667	(m²K)/W	R≤ 0,150	R≤ 0,150	R≤ 0,150
Impact sound reduction	ISO 140-8	dB (Δ Lw)	-	4mm: 13 / 6mm: 14	-
Reduction improvement	EPH/IHD Works Standard 431	dB(A)	-	4mm: 15,3 / 6mm: 17,2	-
Difference of loudness		%	-	4mm: 65 / 6mm: 69	-

ASTM Standards

Stains resistance	ASTM 925	Grade (a)	Grade 0	-	-
-------------------	----------	-----------	---------	---	---

(a) The following products were tested: White vinegar (5% acetic acid), Rubbing alcohol (70% Isopropyl), Mineral Oil, 5% Sulfuric acid, Household bleach, Household Ammonia, Kerosene, Olive Oil, Unleaded gasoline.

(b) The following products were tested: disinfectant, Cleaning benzene, Ammonia solution, Ethanol, Citric Acid, Iodine.

(c) Grade 0 - Unchanged / Grade 1 - Little changed / Grade 2 - Moderately changed / Grade 3 - Strong changed.

(d) Must be varnished on-site with minimum 3 coats of w-2000 or another recommended varnish.

(e) Must be varnished on-site with minimum 3-4 coats of w-2000 or another recommended varnish for this level of use (see recommendation table in the packaging).



Greenguard Certification helps the identification of interior products and materials that have low chemical emissions, improving the quality of the air in which the products are used. It promotes global sustainability, environmental health, and safety.



TUV-PROFICERT-product Interior brand is a voluntary, independent label for VOC-emission and quality of floorings. The results comply with the emission thresholds of AgBB, Belgian VOC regulation, Finnish M1 classification, BREEAM Exemplary Level, LEED v4 (outside North America), RAL-UZ 120 and Austrian Eco Label (Guideline UZ 56).



As of January 2012, France has adopted regulations that limit total VOC emissions of building products. Manufacturers, selling their products in France must obtain a classification ranging from A+ (very low emissions) to C (high emissions). The declared goal is to improve indoor air quality in private/ commercial buildings.



An Environmental Product Declaration is a verified document that reports environmental data of products based on life cycle assessment and other relevant information in accordance with the international standard ISO 14025.



The goal of the German Cork Association is to assure the quality of cork products, as well as the optimization of manufacturing processes and the support of research projects.



認定対象品はGluedownの巻裏及び無接合製品です。

(only for gluedown solution)
Eco Mark is a Japan Environment Association program that promotes environment-friendly lifestyles through wise product choices. This certification analyses criteria for every product category taking into consideration the environment life stage.



Wicanders Flooring Collection is supported by a warranty. Please, read the warranty terms on www.wicanders.com

Get the best results with Wicanders accessories



Underlays

Increased comfort and insulation

To reinforce the already amazing insulation properties of cork flooring, Wicanders provides Acousticork, a cork underlay which lets you turn your home into an even cosier space.

Acousticork reduces the walking sound and heat dispersion. Overall, it makes rooms cosier and more peaceful, which is essential in making any house feel like home.

- High durability and long term resilience
- Increases floor thermal insulation
- Natural and sustainable product
- Easy to handle and install



Maintenance

Optimal care for an everlasting beauty

To keep your floor spotless, Wicanders has available a set of auxiliary products. Each of these has a specific purpose and is designed to make the caring of your floor as easy as possible.

Regular Maintenance



Wicanders Soft Cleaner

This mild detergent is appropriate for weekly or even daily cleaning. It can be used to remove dirt, stopping it from infiltrating in the joints and in the regular embossing of the product.



Wicanders Spray Cleaner

Designed for regular cleaning, this mild detergent has the advantage of being a spray, which makes it a quick and easy solution to apply directly on the floor. It is very effective in cleaning dirt or grease stains.



Skirtings

The perfect match to make a pleasant interior

In order to help create a more classy and harmonious interior, Wicanders provides skirting profiles to complement your floor. Create your ideal transition between the walls and the floor, whether by an exact match or contrasting colours.

Contact your supplier for information on the available skirting references.



CREATED BY HUMANS, INSPIRED BY NATURE

Wicanders represents an unique balance between the creation of innovative products and the protection of the environment, combining state-of-the-art technology with the amazing natural properties of cork.



A green production process – Cork waste resulting from the industrial process is 100% reincorporated into the production, creating an ecologically virtuous cycle.



Intensive use of biomass – The cork powder resulting from the industrial process is burned in order to create biomass which is then used as a major source of energy to supply the production facilities, allowing Wicanders also to base its production in a sustainable source of energy.



Low carbon emission – Cork's natural property of retaining CO₂ combined with an eco-sustainable industrial process allows Wicanders to develop eco-efficient products with a low carbon emissions factor, positively contributing to a sustainable environment.



Indoor Air Quality – Refined to be free of harmful phthalates Wicanders products have been awarded with worldwide indoor air quality certifications such as Greenguard Gold or A+.



Negative Global Warming Potential – The majority of Wicanders products contribute to reduce global warming, since they retain more CO₂ than they emit.

CORK - A SUSTAINABLE RAW MATERIAL

Cork comes from the bark of the Cork Oak, a slowly growing tree from the Mediterranean basin that may live for 200 years and plays a central role in the social and economic development of this region.



Truly environmental-friendly - The extraction of cork and its related industries are remarkably sustainable, since the tree is never cut or damaged during the extraction process and the bark regenerates after each harvest.



Positive ecological impact - It is estimated that the Portuguese cork oak forest - Montado - is responsible for retaining 5% of the country's annual CO₂ emission, representing 4.8 million tons per year.




An activity that crosses generations - Cork Oaks are manually harvested for the first time when the tree is 25 years old and then every 9 years making it an activity that passes from generation to generation.



A positive economic and social impact - Cork harvesting is a regular and cyclical process that contributes to environmental, economic and social sustainability of the rural areas in the Mediterranean region.



Rural areas economic engine - The cork activity as well as related activities fueled by this industry create jobs in many rural areas of the country, encouraging people to settle there.



Product Selector

RANGE	Go	Essence			Resist ⁺			Pure	
FINISHING	WPS	WRT			HPS			PU	
CLASS OF USE (ISO 10874)	23 Residential	23 Residential 31 Commercial			23 Residential 33 Commercial			23 Residential	
BEVEL	No Bevel	No Bevel	4 Side Bevel		4 Side Micro Bevel			No Bevel	
DIMENSION (mm inches)	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	605 x 445 x 10.5 23 13/16 x 17 1/2 x 3/8"	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	1220 x 140 x 10.5 48 x 5 1/2 x 3/8"	605 x 445 x 10.5 23 13/16 x 17 1/2 x 3/8"	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	1220 x 140 x 10.5 48 x 5 1/2 x 3/8"	600 x 300 x 6 23 5/8 x 11 13/16 x 1/4"	900 x 300 x 4 35 7/16 x 11 13/16 x 3/16"
Allure	GB02002								
Ambition	GB06002								
Appeal	GB10002								
Attraction	GB03002								
Captivation	C824001								
Charm	GB01003								
Desire	GA21003								
Dream	GB05003								
Emotion	GB08002								
Fashionable Cement			C85L001			C15L001			C95L001
Fashionable Glacier			C85J001			C15J001			C95J001
Fashionable Grafite			C85M001			C15M001			C95M001
Fashionable Macchiato			C85N001			C15N001			C95N001
Fashionable Mystic			C85K001			C15K001			C95K001
Flock Champagne				C81Y001			C11Y001		
Flock Chestnut				C84A001			C14A001		
Flock Moonlight				C81X001			C11X001		

Product Selector

RANGE	Go	Essence			Resist ⁺			Pure	
FINISHING	WPS	WRT			HPS			PU	
CLASS OF USE (ISO 10874)	23 Residential	23 Residential 31 Commercial			23 Residential 33 Commercial			23 Residential	
BEVEL	No Bevel	No Bevel	4 Side Bevel		4 Side Micro Bevel			No Bevel	
DIMENSION (mm inches)	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	605 x 445 x 10.5 23 13/16 x 17 1/2 x 3/8"	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	1220 x 140 x 10.5 48 x 5 1/2 x 3/8"	605 x 445 x 10.5 23 13/16 x 17 1/2 x 3/8"	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	1220 x 140 x 10.5 48 x 5 1/2 x 3/8"	600 x 300 x 6 23 5/8 x 11 13/16 x 1/4"	900 x 300 x 4 35 7/16 x 11 13/16 x 3/16"
Flock Tea				C83Z001			C13Z001		
Identity Champagne			I805002			C12O001			
Identity Chestnut			I832002			C13G001			
Identity Eden			I806002			C12P001			
Identity Moonlight			I801002			C12N002			
Identity Nightshade			I821002			C12L001			
Identity Silver			I803002			C12Y002			
Identity Tea			I810002			C12R001			
Identity Timide			I802002			C12M001			
Impulse	GB09002								
Intense	GB11002								
Lane Chestnut				C83S001			C13S001		C93S001
Lane Timide				C83R001			C13R001		C93R001
Linn Blush		C81O001			C11O003				
Linn Cioccolato		C81L001			C11L002				
Linn Moon		C81N001			C11N001				
Moment	GA01002								




































[illegible]

Product Selector

RANGE	Go	Essence			Resist ⁺			Pure	
FINISHING	WPS	WRT			HPS			PU	
CLASS OF USE (ISO 10874)	23 Residential	23 Residential 31 Commercial			23 Residential 33 Commercial			23 Residential	
BEVEL	No Bevel	No Bevel	4 Side Bevel		4 Side Micro Bevel			No Bevel	
DIMENSION (mm inches)	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	605 x 445 x 10.5 23 13/16 x 17 1/2 x 3/8"	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	1220 x 140 x 10.5 48 x 5 1/2 x 3/8"	605 x 445 x 10.5 23 13/16 x 17 1/2 x 3/8"	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	1220 x 140 x 10.5 48 x 5 1/2 x 3/8"	600 x 300 x 6 23 5/8 x 11 13/16 x 1/4"	900 x 300 x 4 35 7/16 x 11 13/16 x 3/16"
Originals Natural			O801007			C111001			
Originals Rhapsody			O825005			C125001			
Originals Shell			O824003			C124001		DN10001	
Originals Symphony			O830003			C130001		DN20001	
Originals Traditional									
Personality Champagne			P805002			C13K001			
Personality Chestnut			P832002			C14X001			
Personality Eden			P806002			C15S001			
Personality Moonlight			P801002			C14H001			
Personality Spice			P808002			C15U001			
Personality Tea			P810002			C15T001			
Personality Timide			P802002			C13J001			
President Chestnut				F832003			C14L001		C94L001
President Chocolate				F831002			C14I001		C94I001
President Spice				F808002			C14K001		C94K001
Reed Barley				C83U001			C13U001		C93U001
Reed Meridian				C83T001			C13T001		C93T001

Pure								
PU						Sanded		WRT
23 Residential						23 Residential 31 Commercial		
4 Side Bevel					2 Side Bevel	No Bevel		No Bevel
450 x 450 x 6 17 11/16 x 17 11/16 x 1/4"	600 x 150 x 4 23 5/8 x 5 7/8 x 3/16"	600 x 300 x 4 23 5/8 x 11 13/16 x 3/16"	600 x 300 x 6 23 5/8 x 11 13/16 x 1/4"	600 x 450 x 4 23 5/8 x 17 11/16 x 3/16"	900 x 150 x 4 35 7/16 x 5 7/8 x 3/16"	600 x 300 x 4 23 5/8 x 11 13/16 x 3/16"	600 x 300 x 6 23 5/8 x 11 13/16 x 1/4"	600 x 300 x 4 23 5/8 x 11 13/16 x 3/16"
C95B001								
C95V001								
C95C001								
				C91D002				
				C91A002				
				C91C002				
	C95O001				C95O002			
	C95R001				C95R002			
	C95P001				C95P002			
	C94N001							
	C94M001							

Wicanders' range


LOOKS				
	cork	wood	stone	
RANGE	Go	  	  	  
	Essence	 	 	 
	Resist	—	 	—
	Resist ⁺	 	  	  
	Hydrocork	—	  	  
	Pure	  	—	—
	Parquet	—	 Engineered wood	—

 Heavy Traffic Residential areas

 Moderate Traffic Commercial areas


 Medium Traffic Commercial areas

 Heavy Traffic Commercial areas

 Budget products

 Glue down

 Extra Cork

 Waterproof



WICANDERS®

Nature at your feet



AMORIM

HeadQuarters

Amorim Revestimentos S.A

(+351) 227 475 600

geral.ar@amorim.com

www.wicanders.com

DE	Amorim Deutschland GmbH (+49) 4221 5 93-01	germany.ar.de@amorim.com
BE NE LUX	Amorim Benelux B.V. (+31) 166 604 111	info.ar.nl@amorim.com
AT	Amorim Deutschland GmbH (+43) 1 54 51 65 10	austria.ar.de@amorim.com
CH	Amorim Flooring Switzerland AG (+41) 41 726 20 20	info@amorim.ch
PT	Amorim Revestimentos, S.A. (+351) 227 475 600	geral.ar@amorim.com
ES	Amorim Revestimentos, S.A. (+34) 902 307 407	info.ar.es@amorim.com
FR	Amorim Revestimentos, S.A. (+33) 800 914 848	info.ar.fr@amorim.com
DK	Timberman Denmark A/S (+45) 995 252 52	timberman@timberman.dk
PL	Dom Korkowy, Sp. z o.o. (+48) 126 379 639	krakow@domkorkowy.pl
US	Amorim Flooring North America (+1) 410 553 60 62	info.ar.us@amorim.com
RU	Amorim Flooring Rus, OOO (+7) 495 280 7860	info.ar.ru@amorim.com

63750MT_INT | Rev000 | Dec2017

